



CHELAN FIRE AND RESCUE




Emergency Response Report

January, February, March 2015




Incident Types by Month 2015






Incident by Time of Day and Month




Incident by Time of Day and Year






Incident by Day of the Week and Month, 2015




Incident by Day of the Week and Year






Total Incidents Per Month

■ 2015 ■ 2014 ■ 2013






Incident by First Due Area 2015




Incidents By First Due Area






Overlapping Calls by Month, 2015




Overlapping Calls by Years






Average Turnout Per Incident 2015




Average Turnout Per Incident






Response Times & 90 Percential Station 71




Response Times & 90 Percential Station 72






Response Times & 90 Percential Station 73




Response Times & 90 Percential Station 74






Response Times & 90 Percential Station 75




Response Times & 90 Percential Station 76






Response Times & 90 Percential Station 77




Response Times & 90 Percential District Over-All Average





Average Emergency Response Times In First Due Areas



Significant Calls in January, February, March 2015 *and the not so significant*

Vehicle Fire: 03/24/2015, around 1714 hours Chief 701 was on his way home when he came across a vehicle fire at 104 West Woodin Ave. under the sky bridge at Campbells Resort. Chief 701 requested Engine 71 be dispatched and then knocked down the engine compartment fire with a dry chemical extinguisher from his staff car. Engine 71 arrived and overhauled the vehicle. 6 personnel were involved.

Brush Fire: 03/21/2015, around 1608 hours; Captain 703, Brush 71, 73 and Engine 79 responded with 7 personnel to a brush fire that turned out to be a controlled burn that grew out of control due to winds. The fire was threatening a building and there was no responsible party on location. Captain 703 arrived on scene first and reported a 20' x 20' hay fire within 10 feet of a building. Crews were able to extinguish the fire with no damage to the building. A responsible party was located and reported having a burn pile in the area about three days ago.

Brush Fire: 03/21/2015 around 1549 hours; Engine 79 responded with 2 personnel to a report of a brush fire that turned out to be a controlled orchard fire that was unattended. Engine 79's crew contacted the responsible party and had them return to the fire.

Bomb Scare: 03/21/2015 around 0837 hours; Captain 703 and Engine 79 responded with 3 personnel to stand-by and provide traffic control at Johnson Ave. and Sanders Street until CCSO could secure the scene.

MVA 03/20/2015, around 1757 hours; Rescue 71, Medic 3171 responded with 4 personnel to a two vehicle accident. All involved parties denied injury and were not treated or transported. Rescue 71's crew secured the vehicles and provided traffic control .

Residential Fire Response: 03/07/2015, around 1617 hours; Engine 71, Tender 75, Medic 3171 with 9 personnel responded automatic-aid to 432 Stayman Flats Road (Entiat) for a structure fire. This would be the same house as 03/06/2015. Engine 71 arrived on scene to a fully involved, working fire in a single wide mobile home. The occupant was confirmed out of the building and the fire was a defensive operation. The building and its contents were a complete loss. Engine 71 and Entiat Fire contained and extinguished the fire.

Residential Fire Response: 03/06/2015, around 2257 hours; Chief 701, Engine 71, Medic 3171 with 6 personnel responded automatic-aid to 432 Stayman Flats Road (Entiat) for a structure fire. Chief 701 arrived first and reported a single wide mobile home with light smoke from the crawl space and interior. Engine 71's crew entered the crawl space and over-hauled a burned area under the floor. Upon Entiat Fire's arrival, the scene was turned over to them, Chief 701 returned in service and Engine 71 stayed on scene.

MVA: 03/06/2015, around 1735 hours; Rescue 71 responded automatic-aid with 3 personnel to Orondo for a injury accident at the intersection of Sandy Shores Dr. & SR97. Orondo Fire units arrived on scene and handled the call. Rescue 71 stood-by until the scene was safe and then released by Command to return in service.

MVA: 03/02/2015, around 2221 hours; Chief 701 Rescue 71, Medic 3171 with 5 personnel responded to a vehicle in the ditch at 19400 SR-97A. The single occupant in the vehicle was treated and transported to LCCH.

Residential Fire Response: 02/18/2015, around 0146 hours; Chief 701, Engine 71, 73, Medic 3171 with 11 personnel responded to a reported structure fire at 110 South Water Street. Chief 701 arrived first and reported a 50 x 50 four story building with a working kitchen fire on the first floor. Chief 701 was able to knock down the fire with a dry chemical extinguisher prior to Engine 71's arrival. Engine 71's crew overhauled the fire area and took a report. Engine 73 was cancelled enroute.

Cooking Fire: 02/14/2015, around 1819 hours; Engine 71 responded with 3 personnel to a report of an Automatic Fire Alarm at 16048 South Lakeshore Road. 7501 arrived at the scene and reported a cooking fire that was out. 7501 took a report and all other units returned in service.

MVA: 02/13/2015, around 1804 hours; Chief 701, Rescue 71, Brush 71 and Medic 3171 responded with 10 personnel to a single vehicle roll-over. One patient (driver) was treated and transported to LCCH.

Residential Fire Response: 02/12/2015, around 1756 hours; Chief 701, Engine 71 responded with 5 personnel to a reported house fire at 3944 SR-97A. Chief 701 arrived on scene first to a 25 x 50 single story residential structure with nothing showing. The occupant reported an electrical fire in a thermostat. Power was shut down to the house and the fire area overhauled. The area of the electrical short was isolated and power restored to the rest of the house.

Residential Fire Response: 01/25/2015, around 0124 hours; Chief 701, Engine 71, Tender 71, 75 responded automatic-aid with 7 personnel to Stayman Flats Road (Entiat) to a residential house fire. Chief 701 was the first unit on scene and reported 25 x 50 single story residential structure fully involved, working fire. All occupants were confirmed out of the structure. The fire was a defensive operation and the structure and its contents were a total loss. CFR worked with Entiat Fire to contain and extinguish the fire.

Residential Fire Response: 01/20/2015, around 1806 hours; Chief 701, Engine 71, 72, 73, Tender 71, Medic 3171 responded with 15 personnel to a residential house fire at 135 SR-150. Upon arrival units found a single wide mobile home with nothing showing. Occupants had a fire around the hot water tank. Engine 71's crew checked to ensure the fire was out and overhaul the area around the fire to make sure there was no extension. Power was secured to the hot water tank and the occupant advised to contact landlord for repairs.

MVA: 01/19/2015, around 1604 hours; Rescue 71, Medic 3171 responded with 4 personnel to a two vehicle accident at SR-150 and Lake Chelan Shores. Two patients were treated and transported to LCCH.

MVA: 01/19/2015, around 0657 hours; Captain 703, Rescue 71, automatic-aid response with 3 personnel to Orondo for a motor vehicle accident at SR-97 and Sun Cove Road. Orondo Fire arrived on scene and were able to handle the call. CFR units were cancelled.

Residential Fire Response: 01/12/2015, around 2142 hours; Chief 701, Engine 71, automatic-aid response with 4 personnel to Manson for a residential house fire at 25 Ford Street. Manson Fire arrived on scene and were able to handle the call. CFR units were cancelled.

Residential Fire Response: 01/09/2015, around 0759 hours; Chief 701, Engine 71, automatic-aid response with 5 personnel to Manson for a residential house fire at 100 Ivan Morse Road. Manson Fire arrived on scene and were able to handle the call. CFR units were cancelled.

Public Service Announcements:

January PSA

- Winter Recreation Safety
- Roadside Emergency Kit

February


- Burn & Scald Prevention
- TV Tip Over Prevention

March

- Gel Fuel Warning
- Yard Work Safety
- Spring Safety Tips



Fire and Life Safety Surveys



Smoke Detector Home Safety Program 2015

